





©2014 Ing. Punzenberger COPA-DATA GmbH

All rights reserved.

Distribution and/or reproduction of this document or parts thereof in any form are permitted solely with the written permission of the company COPA-DATA. The technical data contained herein has been provided solely for informational purposes and is not legally binding. Subject to change, technical or otherwise.



Contents

1.	Welcome to COPA-DATA help	. 4
2.	Time control	. 4
3.	Engineering in the Editor	. 5
4.	Time control detail view of toolbar and context menu	. 6



1. Welcome to COPA-DATA help

GENERAL HELP

If you cannot find any information you require in this help chapter or can think of anything that you would like added, please send an email to documentation@copadata.com (mailto:documentation@copadata.com).

PROJECT SUPPORT

You can receive support for any real project you may have from our Support Team, who you can contact via email at support@copadata.com (mailto:support@copadata.com).

LICENSES AND MODULES

If you find that you need other modules or licenses, our staff will be happy to help you. Email sales@copadata.com (mailto:sales@copadata.com).

2. Time control

In the time control, you can define all function calls that should be executed at a defined (fixed) time or cyclically.

So for example important production data can be saved daily on a server in the network.



Ma

License information

Part of the standard license of the Editor and Runtime.

PROJECT MANAGER CONTEXT MENU

Menu item	Action
New time function	Creates a new function for the time control.
Export XML all	Exports all entries as an XML file.
Import XML	Imports entries from an XML file.
Editor profile	Opens the drop-down list with predefined editor profiles.
Help	Opens online help.

3. Engineering in the Editor

The definition of the time control functions is done in the folder Time control in Project Manager. After the select of the folder already existing allocations are displayed in the detailview.

With the context menu and the command Time function news new time function can be created.

In the properties window the properties of the new time function are now displayed and can be edited.

The properties are described in detail in the properties help of the Editor.

Note: Turn of the month and turn of the year refers to the set execution date and not to the turn of the month/year on 01. 01. 00:00 a.m. If the change should be executed at exact this point in time, the engineering must be doen for this point in time; e.g. 01. 01. 2012 00:00:00 o'clock.



4. Time control detail view of toolbar and context menu



CONTEXT MENU

Menu item	Action
New time function	Inserts a new time function in the list.
Сору	Copies the selected entries to the clipboard.
Paste	Pastes the contents of the clipboard. If an entry with the same name already exists, the content is pasted as "Copy of".
Clear	Deletes selected entries after a confirmation from list.
Edit selected cell	Opens the selected cell for editing. The binocular symbol in the header shows which cell has been selected in a highlighted line. Only cells that can be edited can be selected.
Properties	Opens the Properties window for the selected entry.
Export selected XML	Exports all selected entries as an XML file.
Import XML	Imports entries from an XML file.
Remove all filters	Removes all filter settings.
Help	Opens online help.